Bia Diagnostics Laboratories

Office: 802-540-0148 | Fax: 802-540-0147
480 HERCULES DR. COLCHESTER, VT 05446

Certificate of Analysis

Company: Vermont Kind Manufacturing
Customer ID: 210614-02
Grower License #: MANU0027

Sample ID: MANU0027-C0055
Lot: N/A
Matrix: Concentrate
Date Sampled: N/A
Date Received: 10/25/2023

Report Date: 11/9/2023
Date Analyzed: 11/7/2023
Analyst: 054
Report ID: C231025AT

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	1.97	0.20
CBGA	0.0008	12.66	1.27
CBG	0.0019	11.05	1.10
CBD	0.0019	<LOQ	<LOQ
THCV	0.0021	1.70	0.17
CBN	0.0013	5.87	0.59
Δ9-THC	0.0020	387.58	38.76
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	290.68	29.07
CBC	0.0024	7.67	0.77
Total THC		642.51	64.25
Total CBD		1.72	0.17
Total Cannabinoids		719.18	71.92

64.25% **Total THC**	0.17% **Total CBD**
71.92% **Total Cannabinoids**	38.76% **Δ9-THC**
N/A **Percent Moisture**	1 : 0 **THC : CBD Ratio**

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
Total THC = (THCA x 0.877) + Δ9-THC
Total CBD = (CBDA x 0.877) + CBD
Ratio of Total CBD: Total THC
Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
Δ9-THC MU = ±0.005%
Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

Certified by: Luke E. M
Luke Emerson Mason (Laboratory Director, Bia Diagnostics)