



Certificate of Analysis

Company: Vermont Kind Manufacturing Sample ID: MANU0027-C0045-2

2687 Willoughby Lake Road Lot: MANU0027-C0045-2

Barton, VT 05822

Matrix: Concentrate **Customer ID: 210614-02 Date Sampled: 7/26/2023** Grower License #: MANU0027 **Date Received:** 8/10/2023

Report Date: 8/18/2023 **Date Analyzed: 8/18/2023**

Analyst: 048

Report ID: C230810AP

Heavy Metal Summary

Heavy Metal Profile	LOQ (ppm)	Concentration (ppm)
Arsenic (As)	0.0001	0.0060
Cadmium (Cd)	0.0001	<loq< th=""></loq<>
Mercury (Hg)	0.0001	<loq< th=""></loq<>
Lead (Pb)	0.0001	0.0050



N/A

Percent Moisture

Heavy Metal Methodology: ICP-MS using PerkinElmer NexION® 2000 ICP Mass Spectrometer

Reagent Blanks: < LOQs for all analytes

ppm = parts per million

LOQ = The lowest quantity that this method can reliably detect. Any heavy metal that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the Certified by: samples as received.

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)