



Customer ID: 210614-02

Certificate of Analysis

Company: Vermont Kind Manufacturing Sample ID: MANU0027-C0028

2687 Willoughby Lake Road

Barton, VT 05822

Lot: N/A

Matrix: Concentrate **Date Sampled:** 5/5/2023

Date Received: 5/8/2023 Grower License #: MANU0027

Report Date: 5/17/2023

Date Analyzed: 5/12/2023

Analyst: 035

Report ID: C230508AT

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	2.126	0.213
Camphene	0.010	0.630	0.063
β-Myrcene	0.010	5.083	0.508
b-Pinene	0.010	1.528	0.153
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	0.719	0.072
Limonene	0.010	4.135	0.414
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.117	0.012
Y-Terpinene	0.010	0.609	0.061
Terpinolene	0.010	5.149	0.515
Linalool	0.010	2.347	0.235
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	3.048	0.305
α-Humulene	0.010	1.269	0.127
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	0.039	0.004
Caryophyllene Oxide	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Bisabolol	0.010	0.135	0.014
Total Terpenes		26.934	2.696

N/A

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke E.M Luke Emerson Mason (Laboratory Director, Bia Diagnostics)