

Certificate of Analysis

Company: Vermont Kind Manufacturing

Sample ID: Maui Wowie Vape Oil Lot: MANU0027 Matrix: Concentrate Date Sampled: N/A Date Received: 2/12/2024

Report Date: 2/20/2024 Date Analyzed: 2/15/2024 Analyst: 048 Report ID: C240212AN

Customer ID: 210614-02 Grower License #: MANU0027

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	14.021	1.402
Camphene	0.010	1.306	0.131
β-Myrcene	0.010	7.153	0.715
b-Pinene	0.010	2.116	0.212
3-Carene	0.010	2.074	0.207
α-Terpinene	0.010	0.425	0.043
Limonene	0.010	7.606	0.761
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	4.737	0.474
Eucalyptol	0.010	1.207	0.121
Y-Terpinene	0.010	0.634	0.063
Terpinolene	0.010	0.752	0.075
Linalool	0.010	2.016	0.202
Isopulegol	0.010	0.500	0.050
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	5.982	0.598
α-Humulene	0.010	3.021	0.302
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Bisabolol	0.010	0.049	0.005
Total Terpenes		53.599	5.361

N/A Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received. Luke E.M.

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

(802) 540-0148 laboratory@biadiagnostics.com

Certified by: