

Certificate of Analysis

Company: Vermont Kind Manufacturing **Sample ID:** Bubble Hash

Lot: MANU0027-BH005

Matrix: Concentrate

Report Date: 2/22/2024

Date Analyzed: 2/22/2024

Customer ID: 210614-02

Date Sampled: N/A

Analyst: 018

Grower License #: MANU0027

Date Received: 2/12/2024

Report ID: C240212AR

Pathogen Summary

Target Pathogens	Method	LOD (cfu/g)	Result (cfu/g)
Aspergillus - flavus, fumigatus, niger, terreus	Aspergillus AOAC PTM No. 032104	5	< LOD
STEC	STEC Virx AOAC PTM No. 121203	5	< LOD
Salmonella spp.	Salmonella II AOAC PTM No. 010803	5	< LOD



Test Methodology: Bio-Rad IQ-Check PCR Kits

cfu/g = colony forming units per gram

LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).

Reagent Blanks: <LOD for all analytes

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

 Certified by: 
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)