

# MANU0027-C0083

 Sample ID: BIA250327S0007  
 Strain: Tar Pit x Oilspill Virgin Extract

 Produced:  
 Collected:  
 Received: 03/27/2025  
 Completed: 04/03/2025  
 Batch#:

 Client  
**Northeast Kingdom Hemp**  
 Lic. #  
 Barton, VT 05822

 Matrix: Concentrates & Extracts  
 Type: Full Extract Cannabis Oil  
 Sample Size: 1 units  
 Lot#:


## Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	04/01/2025	Complete
Terpenes	03/27/2025	Complete
Residual Solvents	03/28/2025	Complete
Pesticides	04/01/2025	Complete
Heavy Metals	03/28/2025	Complete

## Cannabinoids

Completed

<b>76.44%</b> Total THC	<b>ND</b> Total CBD	<b>80.62%</b> Total Cannabinoids
----------------------------	------------------------	-------------------------------------

Analyte	LOQ	Results	Results	Mass	Mass
	%	%	mg/g	mg/mL	mg/container
CBDVa	0.0001	<LOQ	<LOQ		
CBDV	0.0001	<LOQ	<LOQ		
CBDa	0.0001	<LOQ	<LOQ		
CBGa	0.0001	0.56	5.6		
CBG	0.0002	1.55	15.5		
CBD	0.0002	<LOQ	<LOQ		
THCV	0.0002	0.35	3.5		
CBN	0.0001	0.28	2.8		
Δ9-THC	0.0002	71.44	714.4		
Δ8-THC	0.0002	<LOQ	<LOQ		
Δ10-THC	0.0000	<LOQ	<LOQ		
CBC	0.0002	0.74	7.4		
THCa	0.0003	5.70	57.0		
<b>Total THC</b>		<b>76.44</b>	<b>764.41</b>		
<b>Total CBD</b>		<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>		<b>80.62</b>	<b>806.24</b>	<b>0.00</b>	<b>0.00</b>

Analyst: 048

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

 $Total\ THC = (THCA \times 0.877) + \Delta 9-THC$ 
 $Total\ CBD = (CBDA \times 0.877) + CBD\ Reagent$ 

Blanks: &lt; LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason  
 Laboratory Director  
 04/03/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


## MANU0027-C0083

 Sample ID: BIA250327S0007  
 Strain: Tar Pit x Oilspill Virgin Extract

 Produced:  
 Collected:  
 Received: 03/27/2025  
 Completed: 04/03/2025  
 Batch#:

 Client  
**Northeast Kingdom Hemp**  
 Lic. #  
 Barton, VT 05822

 Matrix: Concentrates & Extracts  
 Type: Full Extract Cannabis Oil  
 Sample Size: 1 units  
 Lot#:

### Pesticides

Completed

Category 1 Pesticides	LOD	LOQ	Results
	PPM	PPM	PPM
Chlorpyrifos	0.0003	0.0010	ND
Imazalil	0.0003	0.0010	ND
Category 2 Pesticides	LOD	LOQ	Results
	PPM	PPM	PPM
Abamectin	0.0003	0.0010	ND
Acephate	0.001	0.0050	ND
Acequinocyl	0.0003	0.0010	ND
Azoxystrobin	0.00005	0.0010	ND
Bifenazate	0.0001	0.0010	ND
Bifenthrin	0.0001	0.0010	ND
Carbaryl	0.0001	0.0010	ND
Cypermethrin	0.001	0.0050	ND
Etoxazole	0.0001	0.0010	ND
Imidacloprid	0.00005	0.0010	ND
Myclobutanil	0.0001	0.0010	ND
Pyrethrins	0.001	0.0050	ND
Spinosyn A	0.0001	0.0010	ND
Spinosyn D	0.0003	0.0010	ND

#### Analyst:

Pesticides Methodology: Liquid Chromatography with Tandem Mass Spectrometry using PerkinElme QSight® LX50 UHPLC and QSight 220 Mass Spectrometer

LOQ = The lowest quantity this method can reliably quantify. Any pesticides or mycotoxins that were not quantifiable are less than the stated LOQ (&lt;LOQ).

ppm = parts per million

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

ND = Not Detected (&lt;LOD)




 Luke Emerson-Mason  
 Laboratory Director  
 04/03/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


**MANU0027-C0083**

 Sample ID: BIA250327S0007  
 Strain: Tar Pit x Oilspill Virgin Extract

 Produced:  
 Collected:  
 Received: 03/27/2025  
 Completed: 04/03/2025  
 Batch#:

 Client  
**Northeast Kingdom Hemp**  
 Lic. #  
 Barton, VT 05822

 Matrix: Concentrates & Extracts  
 Type: Full Extract Cannabis Oil  
 Sample Size: 1 units  
 Lot#:

**Heavy Metals**
**Completed**

Analyte	LOQ	Results
	µg/g	µg/g
Chromium	0.0001	NT
Nickel	0.0001	NT
Copper	0.0001	NT
Zinc	0.0001	NT
Arsenic	0.0001	0.0004
Cadmium	0.0001	<LOQ
Mercury	0.0001	<LOQ
Lead	0.0001	0.0019
<b>Total</b>		<b>0.0023</b>

Analyst: 052

Heavy Metal Methodology: ICP-MS using PerkinElmer NexION® 2000 ICP Mass Spectrometer

Reagent Blanks: &lt; LOQs for all analytes

ppm = parts per million

LOQ = The lowest quantity that this method can reliably detect. Any heavy metal that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason  
 Laboratory Director  
 04/03/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)


## MANU0027-C0083

 Sample ID: BIA250327S0007  
 Strain: Tar Pit x Oilspill Virgin Extract

 Produced:  
 Collected:  
 Received: 03/27/2025  
 Completed: 04/03/2025  
 Batch#:

 Client  
**Northeast Kingdom Hemp**  
 Lic. #  
 Barton, VT 05822

 Matrix: Concentrates & Extracts  
 Type: Full Extract Cannabis Oil  
 Sample Size: 1 units  
 Lot#:

### Residual Solvents

Completed

Analyte	LOQ	Results
	µg/g	µg/g
Acetone	50.00	<LOQ
Acetonitrile	50.00	<LOQ
Benzene	0.50	<LOQ
n-Butane	50.00	<LOQ
Chloroform	5.00	<LOQ
Ethanol	500.00	<LOQ
Ethyl-Acetate	500.00	<LOQ
Ethyl-Ether	500.00	<LOQ
Heptane	500.00	<LOQ
n-Hexane	5.00	<LOQ
Isopropanol	50.00	<LOQ
Methanol	50.00	<LOQ
Dichloromethane	50.00	<LOQ
n-Pentane	500.00	<LOQ
Propane	500.00	<LOQ
Toluene	50.00	<LOQ
Trichloroethylene	500.00	<LOQ
Xylenes	50.00	<LOQ
<b>Total</b>		<b>0</b>

Analyst: 045

Residual Solvent Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

LOQ = The lowest quantity that this method can reliably detect. Any residual solvent that was not detected is assumed to be less than the stated LOQ (&lt;LOQ).

Reagent Blanks: &lt; LOQs for all analytes




 Luke Emerson-Mason  
 Laboratory Director  
 04/03/2025

 Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)
